



University of Tennessee, Knoxville
**Trace: Tennessee Research and Creative
Exchange**

Dr. Hesler Botanical Research

University of Tennessee Herbarium

November 2013

Rozites Notebook 1

L. R. Hesler

Follow this and additional works at: http://trace.tennessee.edu/utk_hesler

Recommended Citation

Hesler, L. R., "Rozites Notebook 1" (2013). *Dr. Hesler Botanical Research*.
http://trace.tennessee.edu/utk_hesler/199

This Rozites is brought to you for free and open access by the University of Tennessee Herbarium at Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Dr. Hesler Botanical Research by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.


14343

ROZITES CAPERATA (Fr.) Karsten


on soil, in deciduous woods, Highlands, N.C., leg. LRH,
det. LRH(cf. A. H. Smith), Aug. 31, 1942

Spores 10-12 x 7-8.5 μ , slightly inequilateral in ~~profile~~
profile, ellipsoid to subellipsoid, or sub-limoniform in
face view, rough (punctate-warty), brown in KOH. Pl none;
ch 38-50 x 7-10 μ , clavate, not always abundant (usually only
a few in a given section, or sometimes none. Pileus
cuticle a zone of irregularly shaped cells, about 6 cells
deep, surface dry.


Rozites caperata (Fr.) Karsten



ch x 1000



Profile



Face

Spore x 8000



14343

14343 - *Pholiota caperata* (Fr.) Karst.
Rozites



18282 - *Pholiotia caperata* (Fr.) Karst.
Rozites



18282 - ~~Pholista~~ *caperata* (Fr.) Karst.
Rogister



19289 - ~~Pholiota~~ *caperata* (Fr.) Karst.
Kozites



21004 - *Pholiotia caperata* (Fr.) Karst.
Rozjter



22682 - *Pholiota caperata* (Fr.) Karst.
Koziter



23458 - ~~Pholiot~~ *caperata* (Fr.) Karst.
Rozites

27191

ROZITES CAPERATA (Fr.) Karsten


on hardwood duff, Mountain Lake, Va., leg. Ron Petersen, Oct.
5, 1962 (as Pholiota aegerita)

Notes by Hesler


Spores 10-12(13) x 7-8.5(10) μ , subovoid, broadly ellipsoid, sometimes irregularly shaped, many(not all) with an ~~obvious~~^{snout} snout at apex, punctate-warty. Pl none; ch few, 20-24x6-8 μ . clavate. Pileus cuticle a zone of about 6 cells deep, irregular in shape.

Rozites caperata (Fr.) Karst.


27191



Ch $\times 1000$



Pileus Cuticle



Spores $\times 8000$